Product Specs Sheets

Cover Page

Plain 45A

Features

- Bathroom Sink
- Made of Ceramic
- Ceramic White Finish
- With Overflow
- Countertop (Vessel) Installation
- Available with One, Three (4” or 8” Spread) or No Faucet Hole
- Available with Soap Dispenser Hole Option to the Left or Right of Faucet Hole
- Made in Italy



Related Items:

- WSBC 53991 | Push Waste Drain
- WSBC 53922 | Decorative Trap

Finishes:

Ceramic White

SKU# | Options:

- Plain 45A.00 | No Faucet Hole
- Plain 45A.01 | Single Faucet Hole
- Plain 45A.03-4 | Three Faucet Hole 4” Spread
- Plain 45A.03-8 | Three Faucet Hole 8” Spread
- Plain 45A.02L | Soap Dispenser Hole (Left)
- Plain 45A.02R | Soap Dispenser Hole (Right)

“.nn” refers to the number of faucets holes


Codes & Standards:


•ADA Compliant


*** WS Bath Collections reserves the right to revise dimensions or information on this sheet without notice**

Collection |	**Model** |	Dimensions Metric	
Plain	Plain 45A	*1 inch = 2.54 cm* *1 inch = 25.4 mm*	WS® BATH COLLECTIONS 1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215 www.wsbathcollections.com - info@wsbathcollectins.com

Plain 45A







Collection	**Model**	Dimensions Metric	
Plain	Plain 45A	*1 inch = 2.54 cm* *1 inch = 25.4 mm*	WS® BATH COLLECTIONS 1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215 www.wsbathcollections.com - info@wsbathcollections.com

We recommend the following items that work with your sink. Plain 45A

TRAPS



WSBC 53922
Our best seller

Polished Chrome
WSBC 53922.29

Matte Black
WSBC 53922.22



WSBC 5392

Polished Chrome
WSBC 5392.29



WSBC 53925

Polished Chrome
WSBC 53925.29



WSBC 53921
Space saving

Polished Chrome
WSBC 53921.29

Matte Black
WSBC 53921.22

DRAINS



WSBC 53991
Push waste drain (click clack)
with overflow

Polished Chrome
WSBC 53991.29

Matte Black
WSBC 53991.22

MOUNTING HARDWARE

Wall-mount installation




Bolts

Vessel/ countertop installation



Silicone *(optional)*

Recommended ADA Installation



Note: ADA Compliant when installed in accordance with ADA guidelines