Product Specs Sheets

Cover Page

Clip T9.12 Features

- Modern Deck-Mounted Bathroom Faucet with 1-Handle
- Single handle lever controls water flow and temperature
- Polished Chrome Finish
- Made of Lead-Free Solid Brass
- Requires 2-Hole Installation
- Includes Ceramic Disc Cartridge
- Flow Rate: 1.5 GPM • Spout Reach: 5.2"

SKU# | Option:


Finishes





Polished Chrome


C	0	1	1	е	С	t	i	0	n
Cli	gi								


Product Specs Sheets











Collection Clip

Model | Clip T9.12

Dimensions Metric

1 inch = 2.54 cm

1 inch = 25.4 mm




1051 Lea Drive - Collegeville, PA 19426 Tel. 215 513 9400 - Fax 610 831 0215

www.wsbath collections.com-info@wsbath collectins.com

Product Specs Sheets

ASSEMBLY INSTRUCTIONS



	TECHNIC	CAL DATA				
No	REFERENCE	DESCRIPTION				
01	AR9.18	AERATOR				
02	_	KEY AERATOR				
03	-	CONNECTION FLEXIBLE				
04		FIXING KIT				
05	ES9.45B	PLATE				
06	_	TAPBODY				
07	CR9.25L	CARTRIDGE				
08		LOCKNUT				
09		CARTRIDGE CONCEALER				
10	MA9.41B	HANDLE				
11		SPOUT				
12		BODY SPOUT				
13	ES9.45BB	SPOUT PLATE				
14		SPOUT FIXING KIT				

INSTALLATION RECOMENDATIONS

Before installing a tap, it is good to rinse the supply pipes to remove all residues. We also recommend installing the taps with a fitter. The installation of the tap must be done with the surface clean and dry. to perform the water pressure test, the taps must be open.

CLEANING AND MAINTENANCE

Cleaning must be done with liquid soap and water. Do not use liquid detergents containing abrasive or acidic substances, abrasive sponges or disinfectants. Incorrect cleaning may permanently ruin the surface of taps.

On color finishings, do not use products containing alcohol, acetone and other solvents.

Co	11	е	С	ti	o n	1
Clip						